THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE

IEE PROCEEDINGS-I

Solid-State and Electron Devices

Vol. 131, 1984

Published by
The IEE, Savoy Place, London WC2R 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

IEE Proceedings Part I

Solid-State and Electron Devices

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

Volume 131 1984 UK ISSN 0143–7100

HONORARY EDITORS

Prof. J. Mavor, *University of Edinburgh*
Prof. H. Kemhadjian, *University of Southampton*

Pages in issues of *IEE Proceedings Part I*, 1984

Pages	Issue no.	Date
1–44	1	February
45–76	2	April
77–112	3	June
113–144	4	August
145–176	5	October
177–212	6	December

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7000/84 $2.00 + 0.00. This content does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1984: The Institution of Electrical Engineers:

Secretary of the IEE: H.H.W. Losty
Managing Editor: Bernard Dunkley; *Senior Assistant Editor:* Stephen Cokeham
Graphics Manager: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Santype International Ltd., Salisbury, Wilts.
Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

Index

IEE Proceedings Part I
Solid-State and Electron Devices
Vol. 131, 1984

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceesings

Author index

A

Akiya, M., and Nakashima, S. High-precision MOS current mirror p170

B

Bhat, K.N., Ramamurthy, V., and Kakati, D. see Ramamurthy, V.
Bösch, M.A., Chin, G.M., Herbst, D., Grogan, J.K., Lemons, R.A., Tennant, D.M., and Tewksbury, S.K. NMOS silicon gate transistors in large-area laser-crystallised silicon layers p121
Borrego, J.M., Sun, H.J., and Gutmann, R.J. see Sun, H.J.
Bryant, F.J., and Qadeer, A. Characteristics of double heterostructure $PbS_{1-x}Se_x$ diode lasers prepared by compositional interdiffusion p113

C

ChengKun, X. Calculation of amplification factor μ of static induced transistor p87
Chin, G.M., Bösch, M.A., Herbst, D., Grogan, J.K., Lemons, R.A., Tennant, D.M., and Tewksbury, S.K. see Bösch, M.A.
Chiu, C., and Freyer, J. Frequency modulation of Impatt diodes by optical illumination p28
Chua, S.J. Distribution of modulated power among longitudinal modes of a semiconductor laser p107

D

Duong, A.K., and Nassibian, A.G. Charge control model for switching transients of metal-tunnel oxide-semiconductor thyristor p135

E

El-Shobokshy, M.S., Zakzouk, A.K.M., and Mujahid, A. see Zakzouk, A.K.M.

F

Francis, L.H., Knapp, A.G., Washington, D., Guest, A.J., Gill, R.W.A., and Pook, R. see Knapp, A.G.
Frangos, P.P., and Wright, G.T. see Wright, G.T.
Freyer, J., Zhang, X., Weimann, G., and Schlapp, W. see Zhang, X.
Freyer, J., and Chiu, C. see Chiu, C.
Fujisada, H., and Nakagawa, T. see Nakagawa, T.
Fukumoto, T., Fukushima, T., Ueno, K., and Tanaka, K. see Fukushima, T.
Fukushima, T., Ueno, K., Fukumoto, T., and Tanaka, K. SVG guard-ring Al-Ti-Si Schottky diode for high-speed LSI applications p59

G

Gill, R.W.A., Knapp, A.G., Washington, D., Guest, A.J., Pook, R., and Francis, L.H. see Knapp, A.G.
Goodman, C.H.L. Band structure of α-Sn and Ge-Sn alloys d109
Grogan, J.K., Bösch, M.A., Chin, G.M., Herbst, D., Lemons, R.A., Tennant, D.M., and Tewksbury, S.K. see Bösch, M.A.
Groves, S.H., and Paul, W. Band structure of α-Sn and Ge-Sn alloys d109
Guest, A.J., Knapp, A.G., Washington, D., Gill, R.W.A., Pook, R., and Francis, L.H. see Knapp, A.G.
Gutmann, R.J., Sun, H.J., and Borrego, J.M. see Sun, H.J.

H

Herbst, D., Bösch, M.A., Chin, G.M., Grogan, J.K., Lemons, R.A., Tennant, D.M., and Tewksbury, S.K. see Bösch, M.A.
Hodge, P., Winter, C.S., Tredgold, R.H., and Khoshdel, E. see Winter, C.S.

K

Kakati, D., Ramamurthy, V., and Bhat, K.N. see Ramamurthy, V.
Kalyanasundaram, N. Large-signal field analysis of an O-type travelling-wave amplifier. Part 1: Theory p145
Khoshdel, E., Winter, C.S., Tredgold, R.H., and Hodge, P. see Winter, C.S.
Knapp, A.G., Mansell, J.R., Woodhead, A.W., and Stone, H.D. see Mansell, J.R.
Knapp, A.G., Washington, D., Guest, A.J., Gill, R.W.A., Pook, R., and Francis, L.H. Large-area channel electron multiplier for CRT applications p6
Knapp, A.G., Woodhead, A.W., Washington, D., Mansell, J.R., Overall, C.D., and Schagen, P. see Woodhead, A.W.

L

Lamport, D.L., Woodhead, A.W., Washington, D., and Overall, C.D. Flat deflection system for a channel multiplier CRT p10
Leistner, D. Single drift impatt diodes on diamond heat sinks for W-band frequencies p56
Lemons, R.A., Bösch, M.A., Chin, G.M., Herbst, D., Grogan, J.K., Tennant, D.M., and Tewksbury, S.K. see Bösch, M.A.

M

Mansell, J.R., Woodhead, A.W., Knapp, A.G., and Stone, H.D. Colour selection in the channel-multiplier CRT p13
Mansell, J.R., Woodhead, A.W., Washington, D., Overall, C.D., Knapp, A.G., and Schagen, P. see Woodhead, A.W.
Mavor, J., and Wu, B. see Wu, B.
Mitchell, H.B., and Wachtel, J.M. Generation of electron beams for gyrotron tubes p177
Moglestue, C. Influence of coupled plasmon-polar optical phonon modes on the mobility of electrons in GaAs p188
Moglestue, C. Monte-Carlo particle model study of a microwave photodetector p103
Moglestue, C. Monte-Carlo particle model study of the influence of gate metallisation and gate geometry on the AC characteristics of GaAs MESFETs p193
Mohan Chandra, M., Sreenath, R.N., and Suryan, G. see Sreenath, R.N.
Mujahid, A., Zakzouk, A.K.M., and El-Shobokshy, M.S. see Zakzouk, A.K.M.

N

Nakagawa, T., and Fujisada, H. Method for evaluation of hysteretic interface properties and their application to anodised InSb MIS diodes p51
Nakashima, S., and Akiya, M. see Akiya, M.
Nakwaski, W. Dynamical thermal properties of stripe-geometry laser diodes p94
Nassibian, A.G., and Duong, A.K. see Duong, A.K.

O

Overall, C.D., Lamport, D.L., Woodhead, A.W., and Washington, D. see Lamport, D.L.
Overall, C.D., Woodhead, A.W., Washington, D., Mansell, J.R., Knapp, A.G., and Schagen, P. see Woodhead, A.W.

P

Paul, W., and Groves, S.H. see Groves, S.H.
Platte, W. Cutoff-taper performance of substrate-edge excited optoelectronic switches p45
Platte, W. Visual indication of locally varying photoconductivity p77
Poh, B.S. Experimental investigation of selfsustained oscillations in stripe-geometry DH lasers p21
Poh, B.S. Refractive index to gain derivative ratio in GaAs/GaAlAs semiconductor injection lasers p163
Pook, R., Knapp, A.G., Washington, D., Guest, A.J., Gill, R.W.A., and Francis, L.H. see Knapp, A.G.

Q

Qadeer, A., and Bryant, F.J. see Bryant, F.J.

R

Ramamurthy, V., Bhat, K.N., and Kakati, D. Computer-aided thermal analysis of reverse-biased PIN diodes p82

S

Schagen, P., Woodhead, A.W., Washington, D., Mansell, J.R., Overall, C.D., and Knapp, A.G. see Woodhead, A.W.
Schlapp, W., Zhang, X., Freyer, J., and Weimann, G. see Zhang, X.
Sears, J.L. EMIS: a new kind of database p38
Sreenath, R.N., Mohan Chandra, M., and Suryan, G. Etch-induced MOS guard-ring-protected Schottky-barrier diodes p63
Stone, H.D., Mansell, J.R., Woodhead, A.W., and Knapp, A.G. see Mansell, J.R.
Sun, H.J., Gutmann, R.J., and Borrego, J.M. DC and pulse-light illuminated optical responses of microwave GaAs-MESFET oscillators p31
Suryan, G., Sreenath, R.N., and Mohan Chandra, M. see Sreenath, R.N.

T

Takeda, E. Hot-carrier effects in submicrometre MOS VLSIs p153
Tanaka, K., Fukushima, T., Ueno, K., and Fukumoto, T. see Fukushima, T.
Tennant, D.M., Bösch, M.A., Chin, G.M., Herbst, D., Grogan, J.K., Lemons, R.A., and Tewksbury, S.K. see Bösch, M.A.
Tewksbury, S.K., Bösch, M.A., Chin, G.M., Herbst, D., Grogan, J.K., Lemons, R.A., and Tennant, D.M. see Bösch, M.A.
Tredgold, R.H., Winter, C.S., Hodge, P., and Khoshdel, E. see Winter, C.S.

U

Ueno, K., Fukushima, T., Fukumoto, T., and Tanaka, K. see Fukushima, T.

W

Wachtel, J.M., and Mitchell, H.B. see Mitchell, H.B.
Washington, D., Knapp, A.G., Guest, A.J., Gill, R.W.A., Pook, R., and Francis, L.H. see Knapp, A.G.
Washington, D., Lamport, D.L., Woodhead, A.W., and Overall, C.D. see Lamport, D.L.
Washington, D., Woodhead, A.W., Mansell, J.R., Overall, C.D., Knapp, A.G., and Schagen, P. see Woodhead, A.W.
Weimann, G., Zhang, X., Freyer, J., and Schlapp, W. see Zhang, X.
Winter, C.S., Tredgold, R.H., Hodge, P., and Khoshdel, E. Dependence of the Schottky barrier height of GaP/polymer/Au diodes on the area per carboxylic acid group p125
Woodhead, A.W., Lamport, D.L., Washington, D., and Overall, C.D. see Lamport, D.L.
Woodhead, A.W., Mansell, J.R., Knapp, A.G., and Stone, H.D. see Mansell, J.R.
Woodhead, A.W., Washington, D., Mansell, J.R., Overall, C.D., Knapp, A.G., and Schagen, P. Channel multiplier CRT p2
Wright, G.T., and Frangos, P.P. Simple analytical one-dimensional model for saturation operation of the high-voltage bipolar power transistor p207
Wu, B., and Mavor, J. Distortion in CMOS operational amplifier circuits p129

Z

Zakzouk, A.K.M. On the dust-equivalent series resistance of a photovoltaic concentrator p17

Zakzouk, A.K.M., Mujahid, A., and El-Shobokshy, M.S. Performance evaluation of photovoltaic silicon cells under concentrated sunlight p66

Zhang, X., Freyer, J., Weimann, G., and Schlapp, W. MBE GaAs Impatt diodes with reduced drift region for mm-wave frequencies p203

Subject index

AMPLIFIERS

Large-signal field analysis of an O-type travelling-wave amplifier. Part 1: Theory. N. Kalyanasundaram p145

BIPOLAR TRANSISTORS

Simple analytical one-dimensional model for saturation operation of the high-voltage bipolar power transistor. G.T. Wright and P.P. Frangos p207

COMPUTER APPLICATIONS

Computer-aided thermal analysis of reverse-biased PIN diodes. V. Ramamurthy, K.N. Bhat and D. Kakati p82

DIODES

Characteristics of double heterostructure $PbS_{1-x}Se_x$ diode lasers prepared by compositional interdiffusion. F.J. Bryant and A. Qadeer p113
Computer-aided thermal analysis of reverse-biased PIN diodes. V. Ramamurthy, K.N. Bhat and D. Kakati p82
Dependence of the Schottky barrier height of GaP/polymer/Au diodes on the area per carboxylic acid group. C.S. Winter, R.H. Tredgold, P. Hodge and E. Khoshdel p125
Dynamical thermal properties of stripe-geometry laser diodes. W. Nakwaski p94
Etch-induced MOS guard-ring-protected Schottky-barrier diodes. R.N. Sreenath, M. Mohan Chandra and G. Suryan p63
Frequency modulation of Impatt diodes by optical illumination. C. Chiu and J. Freyer p28
MBE GaAs Impatt diodes with reduced drift region for mm-wave frequencies. X. Zhang, J. Freyer, G. Weimann and W. Schlapp p203
Method for evaluation of hysteretic interface properties and their application to anodised InSb MIS diodes. T. Nakagawa and H. Fujisada p51
SVG guard-ring Al-Ti-Si Schottky diode for high-speed LSI applications. T. Fukushima, K. Ueno, T. Fukumoto and K. Tanaka p59
Single drift impatt diodes on diamond heat sinks for W-band frequencies. D. Leistner p56

ELECTRON DEVICES

Channel multiplier CRT. A.W. Woodhead, D. Washington, J.R. Mansell, C.D. Overall, A.G. Knapp and P. Schagen p2
Colour selection in the channel-multiplier CRT. J.R. Mansell, A.W. Woodhead, A.G. Knapp and H.D. Stone p13
Flat deflection system for a channel multiplier CRT. D.L. Lamport, A.W. Woodhead, D. Washington and C.D. Overall p10
Generation of electron beams for gyrotron tubes. H.B. Mitchell and J.M. Wachtel p177
Large-area channel electron multiplier for CRT applications. A.G. Knapp, D. Washington, A.J. Guest, R.W.A. Gill, R. Pook and L.H. Francis p6
Large-signal field analysis of an O-type travelling-wave amplifier. Part 1: Theory. N. Kalyanasundaram p145

ELECTRONIC CIRCUITS

Distortion in CMOS operational amplifier circuits. B. Wu and J. Mavor p129

ENERGY CONVERSION AND STORAGE

On the dust-equivalent series resistance of a photovoltaic concentrator. A.K.M. Zakzouk p17
Performance evaluation of photovoltaic silicon cells under concentrated sunlight. A.K.M. Zakzouk, A. Mujahid and M.S. El-Shobokshy p66

EPITAXY

Band structure of α-Sn and Ge-Sn alloys. C.H.L. Goodman d109

FIELD-EFFECT TRANSISTORS

DC and pulse-light illuminated optical responses of microwave GaAs-MESFET oscillators. H.J. Sun, R.J. Gutmann and J.M. Borrego p31

INFORMATION AND COMMUNICATION THEORY

EMIS: a new kind of database. J.L. Sears p38

LASERS

Characteristics of double heterostructure $PbS_{1-x}Se_x$ diode lasers prepared by compositional interdiffusion. F.J. Bryant and A. Qadeer p113
Dynamical thermal properties of stripe-geometry laser diodes. W. Nakwaski p94

METAL-INSULATOR-SEMICONDUCTOR STRUCTURES

Charge control model for switching transients of metal-tunnel oxide-semiconductor thyristor. A.K. Duong and A.G. Nassibian p135
Method for evaluation of hysteretic interface properties and their application to anodised InSb MIS diodes. T. Nakagawa and H. Fujisada p51

METAL-OXIDE-SEMICONDUCTOR STRUCTURES

Charge control model for switching transients of metal-tunnel oxide-semiconductor thyristor. A.K. Duong and A.G. Nassibian p135
Etch-induced MOS guard-ring-protected Schottky-barrier diodes. R.N. Sreenath, M. Mohan Chandra and G. Suryan p63
High-precision MOS current mirror. M. Akiya and S. Nakashima p170

MICROWAVE CIRCUITS AND NETWORKS

DC and pulse-light illuminated optical responses of microwave GaAs-MESFET oscillators. H.J. Sun, R.J. Gutmann and J.M. Borrego p31
Cutoff-taper performance of substrate-edge excited optoelectronic switches. W. Platte p45

MICROWAVE COMPONENTS

Monte-Carlo particle model study of a microwave photodetector. C. Moglestue p103

OPTOELECTRONICS

Cutoff-taper performance of substrate-edge excited optoelectronic switches. W. Platte p45
Frequency modulation of Impatt diodes by optical illumination. C. Chiu and J. Freyer p28
Influence of coupled plasmon-polar optical phonon modes on the mobility of electrons in GaAs. C. Moglestue p188
Visual indication of locally varying photoconductivity. W. Platte p77

OSCILLATORS

DC and pulse-light illuminated optical responses of microwave GaAs-MESFET oscillators. H.J. Sun, R.J. Gutmann and J.M. Borrego p31

POWER SYSTEM PROTECTION

Experimental investigation of selfsustained oscillations in stripe-geometry DH lasers. B.S. Poh p21

SCHOTTKY-BARRIER DEVICES

Dependence of the Schottky barrier height of GaP/polymer/Au diodes on the area per carboxylic acid group. C.S. Winter, R.H. Tredgold, P. Hodge and E. Khoshdel p125
Etch-induced MOS guard-ring-protected Schottky-barrier diodes. R.N. Sreenath, M. Mohan Chandra and G. Suryan p63
SVG guard-ring Al-Ti-Si Schottky diode for high-speed LSI applications. T. Fukushima, K. Ueno, T. Fukumoto and K. Tanaka p59

SEMICONDUCTOR DEVICES AND MATERIALS

Band structure of α-Sn and Ge-Sn alloys. C.H.L. Goodman d109
Calculation of amplification factor μ of static induced transistor. X. ChengKun p87
Characteristics of double heterostructure $PbS_{1-x}Se_x$ diode lasers prepared by compositional interdiffusion. F.J. Bryant and A. Qadeer p113
Charge control model for switching transients of metal-tunnel oxide-semiconductor thyristor. A.K. Duong and A.G. Nassibian p135
Computer-aided thermal analysis of reverse-biased PIN diodes. V. Ramamurthy, K.N. Bhat and D. Kakati p82
Cutoff-taper performance of substrate-edge excited optoelectronic switches. W. Platte p45
Distortion in CMOS operational amplifier circuits. B. Wu and J. Mavor p129
Dynamical thermal properties of stripe-geometry laser diodes. W. Nakwaski p94
High-precision MOS current mirror. M. Akiya and S. Nakashima p170
Influence of coupled plasmon-polar optical phonon modes on the mobility of electrons in GaAs. C. Moglestue p188
MBE GaAs Impatt diodes with reduced drift region for mm-wave frequencies. X. Zhang, J. Freyer, G. Weimann and W. Schlapp p203
Method for evaluation of hysteretic interface properties and their application to anodised InSb MIS diodes. T. Nakagawa and H. Fujisada p51
Monte-Carlo particle model study of a microwave photodetector. C. Moglestue p103
Monte-Carlo particle model study of the influence of gate metallisation and gate geometry on the AC characteristics of GaAs MESFETs. C. Moglestue p193
NMOS silicon gate transistors in large-area laser-crystallised silicon layers. M.A. Bösch, G.M. Chin, D. Herbst, J.K. Grogan, R.A. Lemons, D.M. Tennant and S.K. Tewksbury p121
SVG guard-ring Al-Ti-Si Schottky diode for high-speed LSI applications. T. Fukushima, K. Ueno, T. Fukumoto and K. Tanaka p59
Simple analytical one-dimensional model for saturation operation of the high-voltage bipolar power transistor. G.T. Wright and P.P. Frangos p207
Single drift impatt diodes on diamond heat sinks for W-band frequencies. D. Leistner p56
Visual indication of locally varying photoconductivity. W. Platte p77

SEMICONDUCTOR LASERS

Distribution of modulated power among longitudinal modes of a semiconductor laser. S.J. Chua p107
Experimental investigation of selfsustained oscillations in stripe-geometry DH lasers. B.S. Poh p21
Frequency modulation of Impatt diodes by optical illumination. C. Chiu and J. Freyer p28
Refractive index to gain derivative ratio in GaAs/GaAlAs semiconductor injection lasers. B.S. Poh p163

SOLAR CELLS

On the dust-equivalent series resistance of a photovoltaic concentrator. A.K.M. Zakzouk p17
Performance evaluation of photovoltaic silicon cells under concentrated sunlight. A.K.M. Zakzouk, A. Mujahid and M.S. El-Shobokshy p66

SWITCHES AND SWITCHING THEORY

Cutoff-taper performance of substrate-edge excited optoelectronic switches. W. Platte p45

TELEVISION

Colour selection in the channel-multiplier CRT. J.R. Mansell, A.W. Woodhead, A.G. Knapp and H.D. Stone p13
Flat deflection system for a channel multiplier CRT. D.L. Lamport, A.W. Woodhead, D. Washington and C.D. Overall p10
Large-area channel electron multiplier for CRT applications. A.G. Knapp, D. Washington, A.J. Guest, R.W.A. Gill, R. Pook and L.H. Francis p6

THYRISTORS

Charge control model for switching transients of metal-tunnel oxide-semiconductor thyristor. A.K. Duong and A.G. Nassibian p135

TRANSISTORS

Calculation of amplification factor μ of static induced transistor. X. ChengKun p87

Monte-Carlo particle model study of the influence of gate metallisation and gate geometry on the AC characteristics of GaAs MESFETs. C. Moglestue p193

NMOS silicon gate transistors in large-area laser-crystallised silicon layers. M.A. Bösch, G.M. Chin, D. Herbst, J.K. Grogan, R.A. Lemons, D.M. Tennant and S.K. Tewksbury p121

VERY LARGE SCALE INTEGRATION

Hot-carrier effects in submicrometre MOS VLSIs. E. Takeda p153

Conference reports

IEEE gallium-arsenide integrated-circuit symposium. B.W. Flynn p72

Book reviews

An introduction to MOS LSI design. J. Mavor, M.A. Jack and P.B. Denyer p142

An introduction to thin films. L.I. Maissel and M.H. Francombe p41

Charged particle interactions with solids. Y.-H. Ohtsuki p142

GaAs FET principles and technology. J.V. DiLorenzo and D.D. Khandelwal p111

MOS device and circuit design. O.J. McCarthy p112

Photovoltaic and photoelectrochemical solar energy conversion. F. Cardon, W.P. Gomes and W. Dekeyser (Eds.) p40

Semiconductor and electronic devices. A. Bar-Lev p142

Thin film solar cells. K.L. Chopra and S.R. Das p81